



Surfacing Systems

G-FLEX™ 2000 RESILIENT FLOORING SYSTEMS Care and Maintenance Information

The G-Flex™ 2000 Resilient Flooring System has been designed to provide many years of service.....but it will require regular maintenance on your part. Your floor should be scheduled for regular maintenance to ensure that it stays looking great.

The schedule for cleaning depends on many factors including the following---what the floor is used for, how often it is used, what type of shoes are used, and the volume of foot traffic on the floor. The more consistent the cleaning schedule, the better the appearance of the floor. Failure to follow an adequate cleaning program will cause the floor to show wear earlier and in the end it will wear out earlier than expected.

G-Flex 2000 products include all Series 500, 600 and 700 products for sport, recreation and heavy duty floor covering applications.

The following general guidelines will help you keep your new G-Flex System looking great:

- 1.) Do NOT wash the floor for at least five days after installation.
- 2.) Regular cleaning is accomplished with a damp mop and mild detergent (with or without germicide)
- 3.) Do NOT use wax of any kind. Make sure to check the formula of the detergent to assure that it contains no waxes.
- 4.) Spills and large amounts of dirt and grit should be vacuumed or wet mopped ASAP. Carpet cleaning machines of a hot water extraction type can be used for deep cleaning.
- 5.) Protect against indentation from equipment or furniture using rests.
- 6.) Finished floors should not be exposed to direct sunlight as fading may occur.
- 7.) Do not use abrasive brushes or pads (brown, black, high productivity), steel wool, or solvent to clean your floor. Do not use high speed buffing or cleaning equipment (1,100 rpm or higher) on your floor.

For any questions, please contact your sales agent or call direct to the G-Flex Technical representative at 1-803-957-3549.

G-Flex is a registered trademark of OTS Manufacturing and Supply, Inc. 2001 © All rights reserved.